

PRECAUTIONARY STATEMENTS

CAUTION

Harmful if swallowed. Avoid contact with eyes, skin and clothing. Wear goggles and chemical-resistant gloves. Avoid breathing spray, mists or vapors. Wash hands after using. Avoid contamination of food or food stuffs.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are barrier laminate, nitrile rubber, neoprene rubber, and Viton. If you want more options, follow the instructions for category E on an EPA chemical-resistance selection chart.

Mixers, loaders, applicators, flaggers, and other handlers must wear:

- Long-sleeved shirt and long pants,
- Shoes plus socks, and
- Chemical-resistant gloves.

Follow manufacturer’s instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with the product’s concentrate. Do not reuse them.

ENGINEERING CONTROLS

Pilots must use an enclosed cockpit that meets the requirements listed in the WPS for agricultural pesticides [40 CFR 170.240(d)(6)].

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE if pesticide gets inside. Then, wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash outside of gloves before removing them. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, except as directed for use on this label. Aquatic organisms may be killed in waters where this product is used. Consult the State agency, with primary responsibility for regulating pesticides, before applying to public waters to determine if a permit is needed. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

PHYSICAL AND CHEMICAL HAZARDS

Do NOT store, use, pour or spill near flames or excessive heat. In case of fire, use water spray, foam, CO₂, or dry chemical.

TERMS

To the extent consistent with applicable laws, the seller’s guarantee is limited to the terms on the label. The buyer accepts the product on these conditions. Timing and method of applications, crop conditions, weather, and mixtures with chemicals in the use of this product are beyond the control of the seller.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry, locked area out of the reach of children.

Do not store near excessive heat or open flame.

PESTICIDE DISPOSAL: Pesticide or pesticide waste rinse solution that cannot be used according to the label, must be disposed of according to applicable Federal, State, or local procedures or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container.

Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into the mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into the mix tank or store rinsate for later disposal. Repeat this procedure two more times. Then offer for recycling, if available. If recycling is not available, puncture container and dispose of it in a sanitary landfill or by other approved State and local procedures.

BVA 2 MOSQUITO LARVICIDE OIL

ACTIVE INGREDIENT: % BY WT.

Mineral Oil*	97%
Other Ingredients.....	3%
Total.....	100%

*Contains petroleum distillate

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice. • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If swallowed	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center, or doctor, or going for treatment. You may also contact CHEMTREC 1.800.424.9300 for emergency medical treatment information.	
NOTE TO PHYSICIAN: This product contains petroleum distillate and may pose an aspiration pneumonia hazard.	

See left side panel for additional precautionary statements

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Do not allow adults, children, or pets to enter treated areas until sprays have dried.

BVA 2 Mosquito Larvicide may be used to control mosquito larvae in swamps, marshes, floodwater areas, drainage areas, storm sewer catch basins, waste treatment facilities, settling ponds, ditches, temporary rain pools and other man-made depressions containing stagnant water pools, including, abandoned swimming pools, fountains and ponds.

Apply **BVA 2 Mosquito Larvicide** at rates of 1-5 gallons per acre depending on how dense the vegetation and weeds may be. This product may be applied by the following methods: handgun or handwand sprayer and by air.

BVA 2 Mosquito Larvicide has a water-white clear color and is practically odorless.

DIRECTIONS FOR USE (continued)

BVA 2 Mosquito Larvicide does not depend on life-cycle time for effectiveness. As it kills by suffocation, mosquitoes do not develop resistance. When applied as directed this product does not leave a dark oily film.

SPRAY DRIFT MANAGEMENT

A variety of factors (e.g., wind direction, wind speed, temperature, and relative humidity) and method of application (e.g., handgun, handwand, ground, or aerial) can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

Wind Speed: Do not apply at wind speeds greater than 15 mph at the application site.

Temperature Inversions: If applying at wind speeds less than 3 mph, the applicator must determine if:

- conditions of temperature inversion exist, or
- stable atmospheric conditions exist at or below nozzle height.

Do not make applications into areas of temperature inversions or stable atmospheric conditions.

Droplet Size: Apply as a medium or coarser spray (ASABE standard 572), and the minimum volume mean diameter (VMD) for spinning atomizer nozzles.

Ground Spray (Handgun Handwand) Applications

Ground applications must be in compliance with the specifications indicated above regarding **Wind Speed, Temperature Inversions, and Droplet Size.**

Apply using a nozzle height of no more than 4 feet above the ground, water surface, or crop canopy.

Aerial Applications

Aerial applications must be in compliance with the specifications indicated above regarding **Wind Speed, Temperature Inversions, and Droplet Size.**

Release Height: Do not release spray at a height greater than 10 feet above the ground, water surface, or the tops of plants that are to be sprayed.

Boom Length: The boom length must not exceed 75% of the wingspan or 90% of the rotor blade diameter.

Swath Adjustment: When applications are made with a cross-wind, the swath will be displaced downwind. The applicator must compensate for this displacement at the downwind edge of the application area by adjusting the path of the aircraft upwind. Leave at least one untreated swath at the downwind edge of the treated field.

TREATMENT RATES

Apply this product at rates of 1 to 5 gallons per acre (3 to 15 fl. oz. per 1000 sq. ft.) depending on water surface conditions and vegetative density. Use 1 to 2½ gallons per acre (3 to 7½ fl. oz. per 1000 sq. ft.) if trees are in green tip stage, vegetative cover is light, and water is essentially clean.

To penetrate heavier or denser vegetative cover, or if water is substantially polluted, use 2½ to 5 gallons per acre (7½ to 15 fl. oz. per 1000 sq. ft.).

An average rate of 2½ to 3 gallons per acre (approximately 1 quart per 5000 sq. ft. (50'x100' area)), 7½ to 9 fl. oz. per 1000 sq. ft. or 2-4 teaspoons per 100 sq. ft. (10'x10' area) of water surface covers most conditions.

BVA Inc.

4205 Martin Road
Commerce Township, MI 48390
800.231.3376
www.bva oils.com
REV121620

See right side panel for remainder of **DIRECTIONS FOR USE** section

EPA Reg. No. 70589-1

EPA Est. No. 55206-MI-001

LOT# _____

NET CONTENTS: _____